

BIOAKTIV *Field trial – use of BioAktiv-Pflanze on potatoes*


Conducted at Aloys Feldhaus, Ligusterweg 25, 49424 Goldenstedt, tel: +49 (0)444 42838

**Trial grubbing was carried out on two occasions (27 July and 9 August 2012).
In each case, 6 plants (about 2 sq m) were compared.**

The table shows the mean data of both dates.

Field	Moor		Arkeburg	
Variety	Bintje		Bintje	
Use of BioAktiv	With BioAktiv	Without BioAktiv	With BioAktiv	Without BioAktiv
Saleable potatoes (kg / no. of potatoes)	7.94 / 108	7.77 / 111	6.70 / 102	6.29 / 84
Outsized potatoes (kg / no. of potatoes)	4.26 / 20	1.91 / 9	2.89 / 16	2.95 / 16
Total (kg / no. of potatoes)	12.2 / 128	9.68 / 120	9.59 / 118	9.24 / 100

Field	Near manure store		Altona	
Variety	Belana		Hansa	
Use of BioAktiv	With BioAktiv	Without BioAktiv	With BioAktiv	Without BioAktiv
Saleable potatoes (kg / no. of potatoes)	5.85 / 87	6.22 / 89	7.81 / 157	6.49 / 119
Outsized potatoes (kg / no. of potatoes)	3 / 15	2,12 / 9	0.34 / 2	1.16 / 5
Total (kg / no. of potatoes)	8.85 / 102	8.34 / 98	8.15 / 159	7.65 / 124



Sampling at the Moor field